



# Content



Framed Rectangular Shower Enclosure




Frameless Rectangular Shower Enclosure




Corner Entry Shower Enclosure




Pivot Shower Enclosure



Neo Angle Shower Enclosure



Quardrant Shower Enclosure



Pivot **Shower Door** 




Sliding **Shower Door** 





Bi-fold Shower Door




Extended Pivot Shower Door



Shower Glass Panel



Walk In Shower



Bathtub Screen



# Orton Shower Enclosure Quality

#### **SHOWER ENCLOSURES**

T e Orton shower enclosures are made in accordance to the European Directive 89/106/CEE (Construction Products) and to the following updated modifications introduced by the European Directive 93/68/CEE. The previous directives, carried out, are guaranteed by Orton harmonized norm application EN14428:2004 (Shower panels – Functional requirements and trial methods). In particular the norm EN14428:2004 requires the product inspection through suitable tests of cleaning characteristics, shock resistance, corrosion resistance, chemical agents and stain resistance, resistance to the damp/dry complete cycles, opening/closing doors cycles duration and stability and waterproofing.

# All equipment and computer tests the Orton products to the extreme

#### **RABILITY**

pen-Close life cycles (stress endurance, ref. 4.4.5 EN14428)

The endurance and the time life of the moving doors is tested with 20,000 open-close cycles.

#### **Profiles corrosion resistance (ref. 4.4.2 EN14428)**

The profiles paint and treatments endurance is verified via a "square" test. The surface of the profile is deeply engraved with sharp blades. The incisions are applied with a "comb" pattern and are perpendicular creating a set of small "squares"; the test is considered positively passed if no more of two squares detach from the profile.

# lass panels endurance against chemical agents and machinery (ref. 4.4.3 EN14428)

T e non-tarnish molecular structure and the aesthetic as pect of the glass panels is tested applying a chemical for 2 hours upon a mm. 100x100 glass sample; the test is considered positively passed if, after rinsing, the sample doesn't show any deterioration, stain or abrasion.

# Glass panels endurance to wet-dry cycles (ref. 4.4.4 EN14428)

T e non-tarnish molecular structure and the aesthetic as pect of the glass panels is tested with a glass sample (cm. 100x100) subjected to 20 immersion cycles at 80°C temperature for 8 hours and sub-sequential rest for 16 hours at room temperature; the test is considered positively passed if the sample doesn't show any crack, chap or loss of color.

#### Stability of the shower enclosure (ref. 4.4.6 EN14428)

afety is guaranteed by a test that simulate the weight of a human body against the glass panel (i.e. a shoulder hit or a fall). A heavy object is banged against every shower enclosure panel. The test is considered positively passed if the panels don't show any harmful part.

#### Water test (ref. 4.4.7 EN14428)

The water tightness of the joints and the seals is verified spraying directly the critical areas of the shower enclosure with high pressure water.

# CRASH TEST/FRAGMENTATION Glass fragmentation test (crash test, ref. 4.3.2 EN14428).

The norm states that, in the event of a breakage, the glass fragment must be smaller than the maximum allowed measure in order to protect the end-user safety. A glass sample of 1.7 square meters is broken and the test is considered postively passed if the count of fragments is less of 40 within an area of mm 50x50.

# Crash test for polystyrene panels (crash test ref. 4.3.3 EN14428).

The norm states that, in the event of a breakage, the polystyrene fragment must be smaller than the maximum allowed measure in order to protect the end-user safety. A glass sample of the size of mm.1930x865 is broken: the test is considered positively passed if the fragments are bigger than the minimum size allowed by the regulation.

















Toughened safety glass thickness.



#### SMOOTH RUNNING WHEELS

Quality wheels mean doors glide along effortlessly and silently.



#### RISE AND FALL HINGES

Ensure doors open and close with ease.



#### **CONCEALED FIXINGS**

The cover profiles click easily into place during installation and combine with top caps to ensure that all fixings are concealed.



#### HORIZONTAL ADJUSTMENT

Allows perfect fitting to out-of-true walls. Check each collection for adjustment values.



#### HORIZONTAL AND VERTICAL **ADJUSTMENT**

The profile can be adjusted both vertically and horizontally to allow fixing into grout lines rather than into tile centres.



#### POWER SHOWER PROOF


The enclosures have been tested to ensure that they are power shower proof, so even with the most invigorating of showers the seals remain water tight.



#### **GUARANTEE**

All Ideal Standard Shower enclosures are backed by our comprehensive guarantee.





# Panels FINISHING

# **GLASS PATTERNS**



Clear



Obscure



Rain



Aquatex



Reed



Flutex



Glue Chip



# STAINLESS STEEL FINISHES



**Polished Stainless** 



**Brushed Stainless** 



Oil Rubbed Bronze



Matte Black

# STANDARD FINISHES



Silver / Chrome



Satin



**Brushed Nickel** 



Oil Rubbed Bronze



Matte Black




Orto

# SIGNS easy-totall SHOWER enclosures

to enhance any bathroom and suit your needs. Clear PVC side gasket installs vertically onto door to ensure a water-tight seal between door and side panel when the door is in the closed position. Fixed arm support ensures wall anchoring and reinforces wall stability. Seal-through hinge technology providing functionality, ease-of-installation and leak-proof protection, Fixed arm support for wall anchoring and reinforced stability, Self-closing hinge allows smooth closing of the door.





- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.













SPECIFICATION					
A2-Width (MM)	Height (MM)				
700	1950				
800	1950	x			A
900	1950				
1000	1950				
1100	1950				
1200	1950			A1	
A2 x A1 x A2 -Width (MM)	Open Size (MM)	A2 x A1 x A2 -Width (MM)	Open Size (MM)	A2 x A1 x A2 -Width (MM)	Open Size (MM)
700 x 1000 x 700	380-430	900 x 1000 x 900	380-430	1100 x 1000 x 1100	380-430
700 x 1100 x 700	430-480	900 x 1100 x 900	430-480	1100 x 1100 x 1100	430-480
700 x 1200 x 700	480-530	900 x 1200 x 900	480-530	1100 x 1200 x 1100	480-530
700 x 1300 x 700	550-580	900 x 1300 x 900	550-580	1100 x 1300 x 1100	550-580
700 x 1400 x 700	580-630	900 x 1400 x 900	580-630	1100 x 1400 x 1100	580-630
800 x 1000 x 800	380-430	1000 x 1000 x 1000	380-430	1200 x 1000 x 1200	380-430
800 x 1100 x 800	430-480	1000 x 1100 x 1000	430-480	1200 x 1100 x 1200	430-480
800 x 1200 x 800	480-530	1000 x 1200 x 1000	480-530	1200 x 1200 x 1200	480-530
800 x 1300 x 800	550-580	1000 x 1300 x 1000	550-580	1200 x 1300 x 1200	550-580
800 x 1400 x 800	580-630	1000 x 1400 x 1000	580-630	1200 x 1400 x 1200	580-630





- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.











A2-Width (MM)	Height (MM)				
700	1950	±			
800	- 1950				
900	1950				
1000	1950	,			
1100	1950				
1200	1950				
A1 x A2 -Width (MM)	Open Size (MM)	A1 x A2 -Width (MM)	Open Size (MM)	A1 x A2 -Width (MM)	Open Size (MM)
1000 x	380-430	1200 x	480-530	1000 x 900	380-430
1000 x 700		800			
1100 x	430-480	1300 x	<u>550-580</u>	1100 x 900	430-480
<u>700</u>		800			
1200 x	<u>480-530</u>	1400 x	<u>580-630</u>	1200 x 900	480-530
700		800			
1300 x 700	- 550-580			1300 x 900	550-580
1400 x 700	580-630			1400 x 900	580-630





- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower trav.












A2-Width (MM)	Height (MM)
700	1950
800	1950
900	1950
1000	1950
1100	1950
1200	1950





Open Size (MM)
530
- 580
-
630
680
730
780

A1 x A2 -Width (MM)	Open Size (MM)
1 <u>400 x</u> 800	530
1500 x	- 580
800	
1600 x 800	630
1700 x 800	680
1800 x 800	730
1900 x 800	780

A1 x A2 -Width (MM)	Open Size (MM)
1400 x 900	530
1500 x 900	580
1600 x 900	630
1700 x 900	680
1800 x 900	730
1900 x 900	780





- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.













8
·
- A1
n Size (MM) A1 x A2 -Width (MM) Open Size (MM
1400 x 900 530
1400 x 900 530 1500 x 900 580
1500 x 900 580
1500 x 900 580 1600 x 900 630
n





- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.











#### **SPECIFICATION**

1200 x 700

1300 x 900


1400 x 900

A2-Width (MM)		Height (A	ΛM)
700		1950	_
760		1950	
800		1950	<del></del>
900		1950	
1000		1950	<del></del>
A1-Width (MM)	Open S	ize (MM)	A1-Width (MM)
1000 x 700	410		1000 × 760
1100 x 700	450		1100 x 760


1300 x 700	550
1400 x 700	610
A1-Width (MM)	Open Size (MM)
1000 x 900	410
1100 x 900	450
1200 x 900	510

510


550 610



Open Size (MM)
410
450
510
550
610



1400 x 800



A1-Width (MM)	Open Size (MM)
1000 x 1000	410
1100 x 1000	450
1200 x 1000	510
1300 x 1000	550
1400 x 1000	610





# FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.
















A1 -Width (MM)	Height (MM)	Open Size (MM)
1000	1950	410
1100	1950	450
1200	1950	510
1300	1950	550
1400	1950	610







# FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.














A1 -Width (MM)	Height (MM)	Open Size (MM)
1000	1950	410
1100	1950	450
1200	1950	510
1300	1950	550
1400	1950	610







# FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.














A2 -Width (MM)	Height (MM)
700	1950
800	1950
900	1950
1000	1950

A1 x A2 -Width (MM)	Height (MM)
700 x 700	1950
800 x 800	1950
900 x 900	1950
1000 x 1000	1950
700 x 800	1950
700 x 900	1950
700 x 1000	1950
800 x 900	1950
800 x 1000	1950
900 x 1000	1950







# FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.
















A1 -Width (MM)	Open Size (MM)	Height (MM)
600	530	1950
700	630	1950
800	730	1950
900	830	1950
1000	930	1950
1100	1030	1950
1200	1130	1950









# FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.
















A1-Width (MM)	Height (MM)		
1524	1930		
A1 x A2 -Width (MM)	Open Size (MM)		
1524 x 685.8	666.75		
1524 x 787.4	666.75		
1524 x 889	666.75		
4524220./	- /// 75		







# RECTANGULAR shower enclosures offer you a SPACIOUS SHOWER that will radiate LUXURY

# RAMELES





# OR-SEC235AB

# FEATURES & BENEFITS

- Full frameless Glass Designing
- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.













A1 -Width (MM)	Height (MM)	A2 -Width (MM)	Height (MM)
800	1900	900	1900
1200	1900	1200	1900





- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower trav.















#### **SPECIFICATION**

A2-Width (MM)	Height (MM)
700	1900
800	1900
900	1900
1000	1900
1100	1900
1200	1900





AT X AZ -WIGHN (MM)
1000 x 700
1100 x 700
1200 x 700
1300 x 700
1400 x 700

400 - 450	
450 - 500	
470 - 520	
470 - 520	
570 - 620	

Open Size (MM)

A1 x A2 -Width (MM)
1000 x 800
1100 x 800
1200 x 800
1300 x 800
1400 x 800

Open Size (MM	.)
400 - 450	
450 - 500	
470 - 520	
470 - 520	
570 - 620	

	`	
1000 x 900		
1100 x 900		
1200 x 900		
1300 x 900		
1400 x 900		

A1 x A2 -Width (MM)

Open Si	ze (MM)
400 - 45	0
450 - 50	0
<u>470 - 52</u>	0
470 - 52	0
570 - 62	0

A1 x A2 -Width (MM)
1000 x 1000
1100 x 1000
1200 x 1000
1300 x 1000
1400 x 1000

Open Si	ize (MM)
400 - 45	50
450 - 50	00
470 - 52	20
470 - 52	20
570 - 62	20

A1 x A2 -Width (MM)
1000 x 1100
1100 x 1100
1200 x 1100
1300 x 1100
1400 x 1100

Open Size (MM)
400 - 450
450 - 500
470 - 520
470 - 520
570 - 620

A1 x A2 -Width (MM)	Open Size (MM)
000 x 1200	400 - 450
100 x 1200	450 - 500
200 x 1200	470 - 520
300 x 1200	470 - 520
400 x 1200	570 - 620





# FEATURES & BENEFITS

- Full frameless Glass Designing
- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.
















A1 -Width (MM)	Open Size (MM)	Height (MM)
700	<u>580 - 600</u>	1950
760	640 - 660	1950
800	680 - 700	1950
900	780 - 800	1950
1000	880 - 900	1950
1000	880 - 900	1950







# OR-SEC276AB

# FEATURES & BENEFITS

- Full frameless Glass Designing
- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.















A1 -Width (MM)	Height (MM)	A2 -Width (MM)	Height (MM)
800	1900	900	1900
1200	1900	1200	1900





- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower trav.











A1-Width (MM)	Height (MM)	Open Size (MM)
300	1950	450
900	1950	500
1000	1950	550
1100	1950	600
1200	1950	650
		•



A2-Width (MM)	Height (MM)	Open Size (MM)
800	1950	450
900	1950	500
1000	1950	550
1100	1950	600
1200	1950	650

A1 x A2 -Width (MM)	Open Size (MM)
800 x 800	450 - 630
900 x 900	500 - 700
1000 x 1000	550 - 780
1100 x 1100	600 - 850
1200 x 1200	650 - 920
300 x 900	450 - 670
900 x 800	450 - 670
300 x 1000	450 - 710
1000 x 800	450 - 710
300 x 1100	450 - 750
1100 x 800	450 - 750
300 x 1200	450 - 790
1200 x 800	450 - 790

A1 x A2 -Width (MM)	Open Size (MM)
1000 x 900	500 - 740
900 x 1100	500 - 780
1100 x 900	500 - 780
900 x 1200	800 - 820
1200 x 900	800 - 820
1000 x 1100	550 - 810
1100 x 1000	550 - 810
1000 x 1200	550 - 850
1200 x 1000	550 - 850
1100 x 1200	600 - 880
1200 x 1100	600 - 880





- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower trav.











A1-Width (MM)	Height (MM)	Open Size (MM)
800	1950	450
900	1950	500
1000	1950	550
1100	1950	600
1200	1950	650



A2-Width (MM)	Height (MM)	Open Size (MM)
800	1950	450
900	1950	500
1000	1950	550
1100	1950	600
1200	1950	650

A1 x A2 -Width (MM)	Open Size (MM)
300 × 800	450 - 630
900 x 900	500 - 700
000 x 1000	550 - 780
100 x 1100	600 - 850
200 x 1200	650 - 920

Open Size (MM)
450 - 670
450 - 670
450 - 710
450 - 710
450 - 750





- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower trav.













A1-Width (MM)	Height (MM)	Open Size (MM)
800	1950	450
900	1950	500
1000	1950	550
1100	1950	600
1200	1950	650




A2-Width (MM)	Height (MM)	Open Size (MM)
800	1950	450
900	1950	500
1000	1950	550
1100	1950	600
1200	1950	650

A1 x A2 -Width (MM)	Open Size (MM)
800 x 800	450 - 630
900 x 900	500 - 700
1000 x 1000	550 - 780
1100 x 1100	600 - 850
1200 x 1200	650 - 920

A1 x A2 -Width (MM)	Open Size (MM)
800 x 900	450 - 670
900 x 800	450 - 670
800 x 1000	450 - 710
000 x 800	450 - 710
800 x 1100	450 - 750





## FEATURES & BENEFITS

- Full frameless Glass Designing
- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.











#### **SPECIFICATION**

A1- Width (MM)	Height (MM)	Open Size (MM)
700	1950	330
800	1950	400
900	1950	470
1000	1950	570
1100	1950	600
1200	1950	650

A2 -Width (MM)	Height (MM)	Open Size (MM)
700	1950	330
800	1950	400
900	1950	470
1000	1950	570
1100	1950	600
1200	1950	650



		AI
Open Size (MM)	A1 x A2 -Width (MM)	Open Size (MM)
330 - 430	800 x 800	400 - 560
370 - 520	900 x 800	440 - 620
410 - 590	1000 x 800	480 - 670
450 - 630	1100 x 800	500 - 740

200 x 800

520 - 730





## OR-SEC233AB

## FEATURES & BENEFITS

- Full frameless Glass Designing
- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.













A1 - Width (MM)	Height (MM)	A2 - Width (MM)	Height (MM)
800	1900	800	1900
900	1900	900	1900





## **OR-SECB313ABC**

## FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.













A1 - Width (MM)	Height (MM)	A2 - Width (MM)	Height (MM)
800	1850	800	1850
900	1850	900	1850
1000	1850	1000	1850





## ENJOY LIFE By ORUB

## FEATURES & BENEFITS

- 1/4" (8mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower trav.













A1 x A2 -Width (MM)  1200 x 800  800 x 1200  1300 x 800  800 x 1300  900 x 900  1000 x 900	Open Size (MM)  500 - 620  500 - 620  560 - 670  560 - 670  410 - 570  450 - 600	Height (MM)  1950 1950 1950 1950 1950 1950	т		AI
A1 x A2 -Width (MM)	Open Size (MM)	A1 x A2 -Width (MM)	Open Size (MM)	A1 x A2 -Width (MM)	Open Size (MM)
900 x 1000	450 - 600	900 x 1300	560 - 690	1300 x 1000	560 - 710
1100 x 900	470 - 620	1000 x 1000	450 - 630	1000 x 1300	560 - 710
900 x 1100	470 - 620	1100 x 1000	470 - 650	700 x 700	330 - 460
1200 x 900	500 - 640	1000 x 1100	470 - 650	800 x 700	370 - 490
900 x 1200	500 - 640	1200 x 1000	500 - 670	700 x 800	370 - 490
1300 x 900	560 - 690	1000 x 1200	500 - 670	900 x 700	410 - 520
1100 x 700	470 - 570	800 x 900	410 - 550		
700 x 1100	470 - 570	1000 x 800	450 - 580		
1200 x 700	500 - 590	800 x 1000	450 - 580		





# ENJOY LIFE By ORUB

## FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.













A1 x A2 -Width (MM)	Open Size (MM)	Height (MM)	A1 x A2 -Width (MM)	Open Size (MM)	Height (MM)
600 x 600	740 max	1950	700 x 800	960 max	1950
700 × 700	890 max	1950	700 x 900	1040 max	1950
800 × 800	1030 max	1950	800 x 900	1100 max	1950
900 x 900	1170 max	1950	600 x 1000	1070 max	1950
600 x 700	820 max	1950	700 x 1000	1120 max	1950
600 x 800	900 max	1950	800 x 1000	1180 max	1950
600 x 900	980 max	1950	900 x 1000	1250 max	1950
		EN	OY LIF By ORI	E B B B B B B B B B B B B B B B B B B B	



## **OR-SEC233CD**

## FEATURES & BENEFITS

- Full frameless Glass Designing
- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.













A1 - Width (MM)	Height (MM)	A2 - Width (MM)	Height (MM)
800	1900	800	1900
900	1900	900	1900





# ENJOY LIFE By ORUB

## FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower trav.













A1-Width (MM)	Height (MM)
200	1950
300	1950
400	1950
500	1950
600	1950



A1 x A2 -Width (MM)
700 x 700
800 x 800
900 x 900
900 x 900
1000 x 1000
1000 x 1000
1000 x 1000
900 x 700
900 x 700
1000 x 700
1000 x 700
1100 x 700
1100 x 700
1200 x 700

Open Size (MM)
610 max
610 max
890 max
750 max
890 max
1030 max
760 max
680 max
760 max
680 max
760 max
680 max
760 max
680 max

A1 x A2 -Width (MM)	Ope
1200 x 700	680
900 x 800	820
900 x 800	750
1000 x 800	820
1000 x 800	750
1100 x 800	820
1100 x 800	750
1200 x 800	820
1200 x 800	750
1000 x 900	890
1000 x 900	750
1100 x 900	890
1100 x 900	750
1200 x 900	890

Open Size (MM)
680 max
820 max
750 max
890 max
750 max
890 max
750 max
890 max





## ENJOY LIFE By ORUB



## **OR-SECK172ABC**

## FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.













A1 -Width (MM)	Height (MM)	A2 -Width (MM)	Height (MM)
700	1900	700	1900
800	1900	800	1900
900	1900	900	1900





# ENJOY LIFE By ORUB

## FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower trav.











A1 -Width (MM)

889

889 x 889

Height (MM)

#### **SPECIFICATION**

A2 -Width (MM)

685.8 x 787.4


787.4 x 787.4

685.8	780	685.8		780
787.4	780	787.4		780
990.6	780 780	889		780
A1 x A2 -Width (MM)	Open Size	(MM)	A1 x A2 -	Width (MM
685.8 x 685.8	635		889 x 787.4	
787.4 x 685.8	685.8		685.8 x 889	
889 x 685.8	736.6		787.4 x	

Height (MM)

635

685.8



A1 x A2 -Width (MM)

685.8 x

990.6 787.4 x

990.6

889 x

990.6

Open Size (MM)

635

685.8

736.6



Open Size (MM)

736.6

635

685.8

736.6



## OR-SEC2731AB

## FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.















A1 -Width (MM)	Height (MM)	A2 -Width (MM)	Height (MM)
800	1900	900	1900
1200	1900	1200	1900





## **OR-SECK173AB**

## FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.













A1 - Width (MM)	Height (MM)	A2 - Width (MM)	Height (MM)
800	1900	800	1900
900	1900	900	1900



## Neo Angle

The Neo frameless shower enclosure complements an angular bathroom space by utilizing our state-of-the art measuring, designing and fabricating techniques. If your stylish, space-saving corner shower is in need of that final touch, our Neo frameless shower doors will brilliantly and instantly turn your bathroom into a show stopper.





Space-saving corner design; Neo-angle enclosure swings outward; Provides a modern, custom look for a small bathroom:



## **OR-SEC278AB**

## FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.













A1 - Width (MM)	Height (MM)	A2 - Width (MM)	Height (MM)
800	1900	800	1900
900	1900	900	1900





## **Quadrant Shower Enclosure**

A quadrant shower closure brings both luxury and functionality to your bathroom. With glass doors that slide open, a quadrant unit is a space-saving solution that suits the layout of small bathrooms and modern design schemes alike.

Quadrant enclosure styles look fantastic and fit perfectly in to either small or large settings and are easy to maintain too!





# ENJOY LIFE By ORUB

## FEATURES & BENEFITS

- Full frameless Glass Designing
- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.



















A1 x A2 -Width (MM)	Open Size (MM)	A1 x A2 -Width (MM)	Open Size (MM)
900 x 900	470 - 660	1100 x 1000	590 - 780
1000 x 900	510 - 720	1200 x 1000	600 - 790
1100 x 900	530 - 750	1100 x 1100	600 - 840
1200 x 900 1000 x 1000	550 - 770 570 - 760	1200 x 1100 1200 x 1200	620 - 860 630 - 890
A1 x A2 -Width (MM)	Open Size (MM)	A1 x A2 -Width (MM)	Open Size (MM)
700 x 700	330 - 460	1200 x 700	470 - 660
800 x 700	370 - 520	800 x 800	400 - 560
900 x 700	410 - 590	900 x 800	440 - 620
1000 x 700 1100 x 700	450 - 630 460 - 650	1000 x 800 1100 x 800	480 - 670 500 - 740





## **OR-SEB8009**

## FEATURES & BENEFITS

- 1/4" (8mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.
















A1 x A2 - Width (MM)	Open Size (MM)
300 x 800	460
300 x 900	480
900 x 800	480
300 x 1000	500
000 x 800	500
900 x 900	520
900 x 1000	540
000 x 900	540
000 x 1000	580







## **OR-SEC171AB**

## FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.













## **SPECIFICATION**

900\_

A1 -Width (MM) Height (MM) 1900 800



## **OR-SEC220AB**

## FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.















## **SPECIFICATION**

900\_

A1 -Width (MM) Height (MM) 800 1900





## OR-SEC231AB

## FEATURES & BENEFITS

- Full frameless Glass Designing
- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.













## **SPECIFICATION**

A1 -Width (MM) Height (MM) 800 1900



## OR-SEC271AB

## FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.















## **SPECIFICATION**

A1 -Width (MM) Height (MM)

800 1900 900\_ 1900



## **OR-SEC275AB**

## FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.













## **SPECIFICATION**

A1 -Width (MM) Height (MM) 800 1900 900\_





## OR-SECK230AB

## FEATURES & BENEFITS

- Full frameless Glass Designing
- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.













## **SPECIFICATION**

A1 -Width (MM) Height (MM) 800 1900 900



## **OR-SECB315**

## FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.













## **SPECIFICATION**

A1 - Width (MM) Height (MM) 800 1850 1000 1850





## OR-SEC080

## FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.













## **SPECIFICATION**

A1 -Width (MM) Height (MM) 1850 800 900\_





## OR-SEB052

## FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.














A1 - Width (MM)	Open Size (MM)
600	530
700	630
800	730
900	830
1000	930
1100	1030
1200	1130

Height (MM)
1950
1950
1950
1950
1950
1950
1950







## **OR-SEB1003**

## FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.
















A1 - Width (MM)	Open Size (MM)	Height (MM)
700	580 - 600	1950
760	640 - 660	1950
800	680 - 700	1950
900	780 - 800	1950
1000	880 - 900	1950









## OR-SEC279-1AB

## FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.













A1 - Width (MM)	Height (MM)
800	1900
900	1900





## **OR-SEB015A**

## FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.














A1 - Width (MM)	Open Size (MM)	Height (MM)
700	580	1950
760	640	1950
800	680	1950
900	780	1950
1000	880	1950







## **OR-SEB1049**

## FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.














A1 - Width (MM)	Open Size (MM)	Height (M
1500	560 - 660	1950
1600	640 - 740	1950
1700	660 - 760	1950
1800	720 - 820	1950
1900	660 - 820	1950
2000	760 - 860	1950
2100	760 - 860	1950

Height (MM)		
1950		
1950		
1950		
1950		
1950		
1950		
1950		







## OR-BSB008

## FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.
















A1 - Width (MM)	Height (MM)
1000	1400
1200	1400
1400	1400
1600	1400







## FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.
















A1 - Width (MM)	Height (MM)
700	1400
800	1400
900	1400







# **OR-SB081C**

## FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.
















A1 - Width (MM)	Height (MM)
700	1400
800	1400
900	1400
1000	1400







### FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.
















A1 - Width (MM)	Height (MM)
700	1400
800	1400
900	1400
1000	1400









# **OR-SB1001B**

### FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.
















A1 - Width (MM)	Height (MM)
700	1400
750	1400
800	1400
830	1400
900	1400
1000	1400









# **OR-SB100RB**

## FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.
















A1 - Width (MM)	Height (MM)
700	1400
750	1400
800	1400
830	1400
900	1400
1000	1400









## FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.














A1 - Width (MM)	Height (MM)
700	1400
800	1400
900	1400
1000	1400









### FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.















A1 - Width (MM)	Height (MM)
700	1400
750	1400
800	1400
830	1400
900	1400
1000	1400









### FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.














A1 - Width (MM)	Height (MM)
700	1400
750	1400
800	1400
830	1400
900	1400
1000	1400







# OR-SB1002B

### FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.
















A1 - Width (MM)	Height (MM)
700	1400
750	1400
800	1400
830	1400
900	1400
1000	1400







# **OR-SB1002C**

### FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.
















A1 - Width (MM)	Height (MM)
700	1400
750	1400
800	1400
830	1400
900	1400
1000	1400







### FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.
















A1 - Width (MM)	Height (MM)
800	1400
950	1400
1000	1400
1100	1400
1200	1400







# OR-SB1003B

### FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.
















A1 - Width (MM)	Height (MM)
800	1400
950	1400
1000	1400
1100	1400
1200	1400







### FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.















A1 - Width (MM)	Height (MM)
700	1400
750	1400
800	1400
830	1400
900	1400
1000	1400









# OR-SB1005R

### FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.














A1 - Width (MM)	Height (MM)
700	1400
750	1400
800	1400
830	1400
900	1400
1000	1400







# OR-SB1005RB

### FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.
















A1 - Width (MM)	Height (MM)
700	1400
750	1400
800	1400
830	1400
900	1400
1000	1400







### FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.














A1 - Width (MM)	Height (MM)
800	1400
850	1400
900	1400
1000	1400







### FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.
















A1 - Width (MM)	Height (MM)
700	1400
750	1400
800	1400
830	1400
900	1400
1000	1400







# OR-SB1007R

### FEATURES & BENEFITS

- 1/4" (6mm) tempered clear glass
- Pre-assembled profile pieces and glass fittings
- Safety glass with optional Nano coating (Easy To Clean)
- Pre-assembled profile pieces and glass fittings
- Chrome hardware finish
- Magnetic strip for watertight closure
- Concealed seals
- Can be installed on a tiled floor or a shower tray.















A1 - Width (MM)	Height (MM)
700	1400
750	1400
800	1400
830	1400
900	1400
1000	1400

