# ENJOY LIFE By ORUB




## TOP-MOUNT



Overall size: 680\*480\*220 mm

**Installation:** Topmount






## Code: OR-TDS1902

Overall size: 860\*500\*220 mm


Installation: Topmount





## Code: OR-TDS2901

Overall size: 1000\*500\*220 mm








Overall size: 860\*500\*220 mm

**Installation:** Topmount






## Code: OR-TDS2903

Overall size: 1160\*500\*220 mm













Overall size: 780\*420\*210 mm Installation: Topmount/ Undermount

#### Code: OR-TDS5701





Overall size: 770\*410\*230 mm
Installation: Topmount/ Undermount

#### Code: OR-TDS5703





Overall size: 775\*455\*230 mm Installation: Topmount/ Undermount


#### Code: OR-TDS5705





Overall size: 820\*450\*230 mm Installation: Topmount/ Undermount






Overall size: 835\*475\*230 mm Installation: Topmount/ Undermount

#### Code: OR-TDS5709





Overall size: 920\*440\*230 mm
Installation: Topmount/ Undermount

## Code: OR-TDS5712






Overall size: 830\*480\*230 mm Installation: Topmount/ Undermount

#### Code: OR-TDS9245H





Overall size: 920\*440\*230 mm Installation: Topmount/ Undermount





Overall size: 950\*460\*230 mm Installation: Topmount/ Undermount



Code: OR-TDS11650A





Overall size: 1160\*500\*225 mm

**Installation:** Topmount

Code: **OR-TDS11650B** 





Overall size: 1160\*500\*225 mm



## Code: **OR-TDS11650C**





Overall size: 1160\*500\*225 mm

**Installation:** Topmountt





Overall size: 1200\*600\*225 mm

Installation: Topmount

Code: OR-TDS12050A

Code: OR-TDS12050D





Overall size: 1200\*500\*225 mm

**Installation:** Topmount





Overall size: 1200\*500\*225 mm



## Code: OR-TDS12050EP



Overall size: 1200\*500\*225 mm

**Installation:** Topmount

## Code: OR-TDS12050N



Overall size: 1200\*500\*225 mm






Overall size: 30'\*18'\*10' Installation: Undermount





## Code: OR-TDS2105

Overall size: 810\*430\*215 mm Installation: Undermount





## | Code: OR-TDS1101


Overall size: 230 \*430\*165 mm Installation: Undermount








Overall size: 430\*430\*210 mm Installation: Undermount





## Code: OR-TDS1103


Overall size: 580\*430\*215 mm Installation: Undermount





## Code: OR-TDS1104

Overall size: 700\*450\*220 mm Installation: Undermount








Overall size: 730\*455\*220 mm

**Installation:** Topmount






## Code: OR-TDS1109

Overall size: 680\*430\*220 mm


Installation: Topmount





## Code: OR-TDS2104

**Overall size:** 760\*130\*210 mm










Overall size: 24'\*18'\*10'
Installation: Undermount






## Code: OR-TDS1204

Overall size: 736'\*437'\*215'
Cut out Size: 710 \* 410


Installation: Topmount/ Flushmount





## | Code: OR-TDS1215


Overall size: 33'\*22'\*10' Installation: Apron Front





Overall size: 700\*465\*220 mm


**Installation:** Topmount





## Code: OR-TDS1801


Overall size: 800\*600\*230 mm Installation: Integrated Sink






## Code: OR-TDS1803

Overall size: 800\*550\*220 mm Installation: Integrated Sink





Overall size: 860\*500\*230
Cut out Size: 835\*475\*R10
Installation: Topmount/ Flushmount





## | Code: **OR-TDS1217**


Overall size: 1016\*508\*228 mm Installation: Undermount





## | Code: **OR-TDS1218**


**Overall size:** 1000\*500\*228 mm





Overall size: 1000\*500\*220 mm

**Installation:** Topmount






## Code: OR-TDS2107

Overall size: 800\*450\*220 Cut out Size: 800\*450\*R5

Installation: Flushmount/ Topmount






## Code: OR-TDS2108

Overall size: 810\*470\*220 Cut out Size: 810\*470\*R5

Installation: Flushmount/ Topmount








## | Code: OR-TDS2109U

Overall size: 810\*455\*220 Cut out Size: 770\*422\*R15


**Installation:** Topmount





## Code: OR-TDS2110


Overall size: 33'\*22'\*10' Installation: Apron Front





## Code: OR-TDS2112

Overall size: 33'\*22'\*10' Installation: Topmount













Overall size: 18'\*18'\*7' (455\*455\*180 mm)

Depth: 7

**Installation:** Undermount

## Code: OR-TDS2318





Overall size: 23'\*18'\*9' (584\*457\*228 mm)

Depth: 9'

Installation: Undermount

## Code: OR-TDS2320





Overall size: 23'\*20'\*9' (584\*508\*228 mm)

**Depth:** 9' **Installation:** Topmount

## Code: OR-TDS2522





Overall size: 25'\*22'\*9'(635\*560\*228 mm)

**Depth:** 9' **Installation:** Topmount



## Code: OR-TDS3118A





Overall size: 31'\*18'\*9' (787\*457\*228 mm)

Depth: 9'

Installation: Undermount

#### Code: OR-TDS5302





Overall size: 430\*190 mm

**Installation:** Topmount / Undermount

## Code: OR-TDS5303





Overall size: 500\*420\*190 mm Installation: Topmount/ Undermount

#### Code: OR-TDS5306





Overall size: 570\*420\*210 mm Installation: Topmount/ Undermount





Overall size: 620\*450\*210 mm Installation: Topmount/ Undermount

## Code: OR-TDS5308





Overall size: 730\*450\*230 mm
Installation: Topmount/ Undermount

## Code: OR-TDS5311





Overall size: 510\*180 mm
Installation: Topmount/ Undermount

#### Code: OR-TDS5312






Overall size: 460\*400\*210 mm Installation: Topmount/ Undermount







Overall size: 480\*410\*210 mm
Installation: Topmount/ Undermount

## Code: OR-TDS5314





Overall size: 510\*430\*210 mm
Installation: Topmount/ Undermount

#### Code: OR-TDS5315






Overall size: 600\*450\*220 mm Installation: Topmount/ Undermount

## Code: OR-TDS5316





Overall size: 600\*460\*220 mm Installation: Topmount/ Undermount





Overall size: 800\*490\*230 mm

**Installation:** Topmount

#### Code: OR-TDS5610





Overall size: 800\*500\*230 mm

Depth: 7'

Installation: Topmount

#### Code: OR-TDS5745






Overall size: 570\*450\*180 mm

**Installation:** Topmount

## Code: OR-TDS6550





Overall size: 650\*500\*180 mm




Overall size: 780\*480\*190 mm

**Installation:** Topmount

#### Code: OR-TDS8050A





Overall size: 800\*500\*180 mm

**Installation:** Topmount

## Code: OR-TDS8050D




**Overall size:** 800\*500\*180 mm

**Installation:** Topmount

## Code: OR-TDS9050





Overall size: 900\*500\*160 mm





Overall size: 1000\*500\*190 mm

**Installation:** Topmount

#### Code: OR-TDS10050N






Overall size: 1000\*500\*190 mm

Installation: Topmount

#### Code: OR-TDS3220





Overall size: 32'\*20'\*9' (813\*520\*228 mm

Depth: 9

**Installation:** Undermount

#### Code: OR-TDS3318





Overall size: 31'\*18'\*9' (787\*457\*228 mm

Depth: 9

**Installation:** Undermount



## **PROCESS**

## THE ULTIMATE PROCESS

Molded beautiful line of elegant and fluent, handed down quality, reveal the special charm, fall in love with the rhythm of beauty control, present the gorgeous sinks for you.













Overall size: 33'\*19'\*8' (830\*540\*203 mm)

Depth: 8'

**Installation:** Undermount


## Code: OR-TDS5601



Overall size: 775\*410\*220 mm Installation: Topmount/ Undermount

#### Code: OR-TDS3322






Overall size: 33'\*22'\*9' (845\*560\*228 mm)


Depth: 9'

Installation: Undermount

#### Code: OR-TDS5602







Overall size: 785\*430\*220 mm Installation: Topmount/ Undermount





Overall size: 810\*430\*220 mm Installation: Topmount/ Undermount

#### Code: OR-TDS5605





Overall size: 820\*450\*225 mm
Installation: Topmount/ Undermount

## Code: OR-TDS5608





Overall size: 780\*450\*215 mm Installation: Topmount/ Undermount

#### Code: OR-TDS5615






Overall size: 770\*420\*210 mm Installation: Topmount/ Undermount

Overall size: 33'\*22'\*10'

Depth: -Installation:

Undermount






## Code: OR-TDS2114

Overall size: 32'\*18'\*10'
Depth: -Installation:


Undermount





## Code: OR-TDS2201

Overall size: 838\*498\*220 mm Cut out Size: 810\*470\*R20 Installation: Topmount








Overall size: 860\*470\*220 Cut out Size: 860\*470\*R5

**Installation:** Topmount/ Flushmount






## Code: OR-TDS2210

Overall size: 1143\*508\*228 mm

Depth:

Installation: Topmount






## Code: OR-TDS2801

Overall size: 900\*600\*230 mm

Depth:


**Installation:** Integrated Sink







Overall size: 960\*450\*220 mm Cut out Size: 935\*425\*/R10 **Installation:** Topmount






## Code: OR-TDS2203

Overall size: 1000\*500\*220 mm Cut out Size: 975\*475\*/R20

**Installation:** Topmount






## Code: OR-TDS2209

Overall size: 1160\*510\*228 mm

Depth:






# Code: OR-TDS2211

Overall size: 1200\*500\*220 mm

Depth:

Installation: Topmount






# | Code: OR-TDS2701

Overall size: 1200\*500\*220 mm

Depth:

**Installation:** Topmount






# G R A

#### Code: OR-TKA3322GD


Overall size: 330\*220\*100mm Cut out Size: 10mm Installation: Topmount





# Code: OR-TKA3021GA

Overall size: 330\*210\*100mm Cut out Size: 10mm Installation: Undermount






# Code: OR-TKA3322GA

Overall size: 330\*220\*100mm

Depth: 10mm Installation:

Undermount








# Code: OR-TKA1715GS

Overall size: 175\*155\*80mm Cut out Size: 10mm Installation:

Undermount





# | Code: OR-TKA3018GS

Overall size: 320\*180\*100mm Cut out Size: 10mm Installation:

Undermount






# Code: OR-TKA3218GD

Overall size: 320\*180\*100mm

Depth: 10mm Installation:

Undermount








#### Code: OR-TKA3219GD


Overall size: 320\*190\*100mm Cut out Size: 10mm Installation:





# Code: OR-TKA8649G

Overall size: 860\*490\*200mm Cut out Size: 10mm Installation: Topmount






# Code: OR-TKA11449G

Overall size: 1145\*490\*210mm

Depth: 10mm Installation:








# Code: **OR-TKA11549G**

Overall size: 1150\*490\*215mm Cut out Size: 10mm Installation:


Topmount





# Code: OR-TKA11450G

Overall size: 1140\*500\*220 Cut out Size: 10mm Installation: Topmount






# Code: OR-TKA460G

Overall size: 460\*460\*200mm

**Depth:** 10mm **Installation:** Topmount








#### Code: OR-TKA480G

Overall size: 480\*480\*200mm


**Cut out Size:** 10mm **Installation:** Topmount





# | Code: OR-TKA7845G

Overall size: 780\*450\*200mm Cut out Size: 10mm Installation: Undermount






# Code: OR-TKA8052G

Overall size: 800\*520\*220mm


Depth: 10mm Installation:





# Code: OR-TKA6045G


Overall size: 600\*450\*200mm Cut out Size: 10mm Installation:





# | Code: OR-TKA7247G

Overall size: 720\*470\*200mm Cut out Size: 10mm Installation: Topmount






# Code: OR-TKA6845G

Overall size: 680\*450\*200mm

Depth: 10mm Installation:

Undermount








#### Code: OR-TKA8450G


Overall size: 840\*500\*200mm Cut out Size: 10mm Installation: Topmount





# | Code: OR-TKA7043G

Overall size: 700\*430\*200mm Cut out Size: 10mm Installation: Topmount






# Code: OR-TKA7545G

Overall size: 750\*450\*200mm

Depth: 10mm Installation:
Topmount








#### Code: OR-TKA8246G


Overall size: 820\*460\*200mm Cut out Size: 10mm Installation:





# | Code: OR-TKA7847G

Overall size: 780\*470\*200mm Cut out Size: 10mm Installation: Topmount






# Code: OR-TKA6044G

Overall size: 600\*440\*200mm


Depth: 10mm Installation:





#### Code: OR-TKA6845GA


Overall size: 680\*450\*200mm Cut out Size: 10mm Installation:





# | Code: OR-TKA7545G

Overall size: 750\*450\*200mm Cut out Size: 10mm Installation: Topmount






# Code: OR-TKA8047G

Overall size: 800\*470\*200


Depth: 10mm Installation:





# Code: OR-TKA6847GA


Overall size: 680\*470\*200mm Cut out Size: 10mm Installation:





# | Code: OR-TKA6847GB

Overall size: 785\*480\*200mm Cut out Size: 10mm Installation: Topmount






# Code: OR-TKA7848G

Overall size: 785\*480\*200mm

Depth: 10mm Installation:
Topmount








## Code: OR-TKA8248G


Overall size: 820\*480\*200mm Cut out Size: 10mm Installation: Topmount






# | Code: OR-TKA3322GS

Overall size: 330\*220\*100mm
Thickness: 10mm Installation:







## **CLEANING & CARING FOR STAINLESS STEEL**

#### **EVERYDAY TIPS**

Our stainless steel sinks are made of premium chrome-nickel steel. This high-quality material makes our sinks eye-catching and resistant to stains, rust and corrosion. So we created Inox Cream specifically for the care and maintenance of this special material. This polish is easy to apply and can protect or restore the luster or your sink. Just spread a little on a damp cloth, rub it lightly onto the surface and allow it to set. Then just rinse it off with water and polish with a dry cloth.

#### **SCRATCHES**

Unless they're very deep and unsightly, scratches on stainless steel surfaces aren't always bad. In fact, over time, lots of small scratches can add an attractive matte look to your products. But in the event that you have a deep scratch that you want to care for, here's what you can do: take a 3M Scotch-Brite pad and our white Inox Cream. Apply enough of the cream the cover the scratch and then wipe the area with your pad going with the grain of the surface. Once the scratch looks like it has been wiped away, rinse off any excess cream and clean the surface with a dry cloth.

#### STUBBORN STAINS AND RUST

Any rust that appears on stainless steel is the result of iron particles coming from external sources. If you want to remove any rust stains from your products, we recommend using a cleaning agent containing oxalic acid (e.g. Bar Keepers Friend®). Always use mild, non-abrasive cleaning agents to remove stubborn stains from your stainless steel and make sure you thoroughly rinse away any cleaning liquids once finished. Oh, one more thing, when cleaning your stainless steel, NEVER USE STEEL WOOL PADS. We, and our stainless steel, thank you in advance.

# WHAT TO AVOID

- Bleaches containing
- hypochlorite Silver dip cleaners
- Leaving foods like citrus fruit juice, salt, vinegar, mustard, pickles and mayonnaise on your surface for prolonged periods. These foods can cause pitting and corrosion
- Strong acids like photo developing liquids or denture cleanser. If they come in contact with your sink, they should be washed away immediately with clean wate.







OR-TAVT120



OR-TDSAVT100



OR-TDS-AD001



OR-AD002



OR-AD003



OR-AD004



OR-ASG400&500



OR-ADBSC340-380-400



OR-ADBSR340-380-400







OR-ALS01





OR-ALS016



OR-ALS46



OR-SH340-389-400



OR-SP310-340-380-400



OR-TMXS01



OR-TSXS02